

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5939	(return indifferent neutral) adj electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:30
L2	19	1 with (bulk adj impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:05
L3	23	1 with (bulk adj (resist\$ impedance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:56
L4	4	3 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:27
L5	907	((return indifferent neutral) adj electrode) with (resist\$ impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:05
L6	390	((return indifferent neutral) adj electrode) near3 (resist\$ impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:32
L7	81	6 and 607/96-122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:06
L8	68	7 and inductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:54
L9	0	((return indifferent neutral) adj electrode) with (resist\$ impedance) with ((reduce adj current) with safe adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:36
L10	0	((return indifferent neutral) adj electrode) with (resist\$ impedance) and ((reduce adj current) with safe adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:37
L11	0	((return indifferent neutral) adj electrode) with (resist\$ impedance) and ((reduce reducing) adj current) with (safe adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:38
L12	1	((return indifferent neutral) adj electrode) same (resist\$ impedance) and ((reduce reducing) adj current) with (safe adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 08:38

L13	13	("3968802").URPN.	USPAT	OR	OFF	2005/08/17 08:38
L14	1055	((return indifferent neutral patient) adj electrode) with (resist\$ impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:53
L15	19	14 with (bulk adj impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:05
L16	0	15 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:05
L17	1055	((return indifferent neutral patient) adj electrode) with (resist\$ impedance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:57
L18	159	17 and (606/32-50 607/96-122.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:06
L19	73	18 and inductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:16
L20	5	19 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:17
L21	240	((return indifferent neutral patient) adj electrode) with (current adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:53
L22	2	21 with (safe adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:55
L23	119	21 and inductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:54
L24	2	21 with ((safe acceptable) adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:55
L25	2	21 with (bulk adj (resist\$ impedance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:56

L26	6	21 same (bulk adj (resist\$ impedance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:56
L27	19	((return indifferent neutral patient) adj electrode) with (self adj limit\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:58